


1. Login to the QVSR website



The image shows a login page for QVSR. At the top, the text 'QVSR' is displayed in a large, bold, black font. Below it, the subtitle 'Welcome to Quadratic Voting for Survey Research' is centered. There are two buttons: a teal 'LOGIN' button and a grey 'SIGN UP' button. Below these is an email input field with the placeholder 'Email' and the text 'qvsrfan@gmail.com'. Underneath is a password input field with the placeholder 'Password' and a series of black dots representing the password. A large red 'LOGIN' button is centered below the password field. At the bottom, there is a link that says 'FORGOT MY PASSWORD'.

2. Create new survey



3. Choose survey options

- a. If you intend to reroute your QVSR survey to Qualtrics, be sure to check the “Do you want to redirect respondents to Qualtrics” box.
 - i. Note that if you wish to begin the survey in Qualtrics, send respondents to QVSR, then send them back to Qualtrics for post QVSR questions, you will need to create two separate Qualtrics surveys, and merge them by respondent ID. If you wish to send respondents from QVSR back to Qualtrics, make sure that the Qualtrics survey link you include in the initial setup below is for the 2nd, post-QVSR Qualtrics survey.

#1 Initial Setup

Topic*

Survey

6/ 75 characters

Preferred Function*

Quadratic



Total number of Credits*

100

Do you want to redirect respondent to Qualtrics?

Qualtrics survey link*

mysurvey.qualtrics.com



#2 Language Designation

Preferred Language*

Agree/Disagree



Preferred Token*

Credits



BACK

NEXT

4. Format QVSR survey
 - a. Make sure to leave completion message blank if you want to send respondents back to a Qualtrics survey.

#3 Welcome message

Add description of QVSR here and instructions for taking the survey.

T B I U Q [List] [List] [Link]

68/2000

#4 Questions

Question *

Gun Control



QV1

11/ 250 characters

Question *

Abortion



QV2

8/ 250 characters

Question *

Tax Reform



QV3

10/ 250 characters

ADD QUESTION

#5 Completion message

Start typing...

T B I U Q [List] [List] [Link]

0/2000

BACK

NEXT

5. Save survey

Survey Preview

Topic: **Survey**
Preferred Function: **Quadratic**
Credits: **100**
Preferred Language: **Agree/Disagree**
Qualtrics link: **mysurvey.qualtrics.com**

Add description of QVSR here and instructions for taking the survey.

Questions
Credits: **100**

1. Gun Control

Disagree 0 Credits Agree

2. Abortion

Disagree 0 Credits Agree

3. Tax Reform


Disagree 0 Credits Agree

This survey has no completion message


BACK SAVE

6. Now go to the 1st, pre-QVSR Qualtrics survey, and embed a link to your QVSR survey at the end of the Qualtrics survey.
 - a. The link should begin with the url of your QVSR survey, followed by an embedded field capturing respondents' Qualtrics ID to ensure responses can be linked across Qualtrics

and the QVSR site. To capture respondents' Qualtrics ID, use this code:
\${e://Field/ResponseID}



7. Begin the survey in Qualtrics, be sure that you are redirected to the QVSR site, then take the QVSR survey. Then, to ensure the respondent's Qualtrics ID was successfully imported to QVSR, go back to qvsr.io, and click on the analytics arrow underneath your survey:



8. Clicking on the analytics arrow will take you to the following screen.
 - a. As you can see, the first respondent's Qualtrics User id was not successfully imported to QVSR, while the second respondent's was ("R_1ous..."). If the User id column is blank,

something has gone wrong and you need to go back to Qualtrics to make sure you entered the correct QVSR link.

Survey

hqzhisYxylJf8Ytymts

Preferred Function: [Quadratic](#)
 Credits: 100
 Language: [Agree/Disagree](#)
 Credit Language: [Credits](#)

Result

	Question ID	Agree	Disagree	Total
▼	QV1	1	0	1
▼	QV2	0	1	-1
▼	QV3	4	0	4

Answers Insight

	User id	QV1	QV2	QV3	Left credits	Status	
▼	#1	-	0	0	0	100	published
▼	#2	R_1ous0s7J/QoR80BW	1	-1	4	82	published
		1	-1	4			

Rows per page: 5 ▼ 1-2 of 2 |< < > >|

[DOWNLOAD CSV](#)

9. Now that you have successfully sent respondents from Qualtrics to QVSR, you can simply merge your Qualtrics and QVSR responses by Response ID. However, if you want to send respondents back to Qualtrics after they take the QVSR survey and import their QVSR responses directly into Qualtrics, you need to take a few more steps.
10. Create a second Qualtrics survey, and embed the variable names from the QVSR survey that you'd like to import back to Qualtrics. For the User id variable (which you need to merge the 1st and 2nd Qualtrics surveys), use embed the variable name `userId`.
 - a. In the 2nd Qualtrics survey, click on the "Survey Flow" icon.

XM ☰ qvsr return ▾

Survey Workflows Distributions Data & Analysis Reports

Edit question Tools ▾ Saved at 10:33 AM Published

Question type
Multiple choice ▾

Answer type
 Allow one answer
 Allow multiple answers

Choices
 Number of choices: - 2 +
 Use suggested choices:

Format
List ▾

Alignment

qvsr return

Default Question Block

Q1
Click to write the question text

male
 female

[Add Block](#)

End of Survey

We thank you for your time spent taking this survey.

b. Now embed the QVSR variables

XM ☰ qvsr return ▾

Survey Workflows Distributions Data & Analysis Reports

Survey flow Draft

Show Block: Default Question Block (1 Question) Add Below Move Duplicate Delete

Set Embedded Data:

userid	Value will be set from Panel or URL.	Set a Value Now
QV1	Value will be set from Panel or URL.	Set a Value Now
QV2	Value will be set from Panel or URL.	Set a Value Now
QV3	Value will be set from Panel or URL.	Set a Value Now
N1	Value will be set from Panel or URL.	Set a Value Now
N2	Value will be set from Panel or URL.	Set a Value Now
N3	Value will be set from Panel or URL.	Set a Value Now

[Add a New Field](#)

[Add Below](#) [Move](#) [Duplicate](#) [Add From Contacts](#) [Options](#) [Delete](#)

[+ Add a New Element Here](#)

11. Then download dataset (QVSR + 2nd Qualtrics survey), and merge it with the 1st Qualtrics survey by userid.